| POPULATION ESTIMATES  | CENSUS DATA   | LOCAL PUBLIC HEALTH  |
|---|---|--|
| Total 1995 Population Est 108, 370<br>Percent Female 50. 2  | <br>  Note: Data in this section are from<br>  the 1990 Census. (All other                                    | Per Activities Reported Number 10,000 Public Health Nursing                                  |
| Population per square mile 211 Rank in state 12 ( 1=highest population density,   | sections contain 1995 data except where specified.)   | Total clients  |
| 72=lowest population density.)  | Ratio of 1989 Family<br>  Income to Poverty<br>  (Cumulative)   | Gen hlth promotion 130 12<br>Infant/child hlth 1,357 125<br>Infectious & parasitic 1,933 178 |
| Age         Femal e         Mal e         Total           0-14         11,310         11,860         23,170           15-19         3,840         4,120         7,958                       | $egin{array}{ c c c c c c c c c c c c c c c c c c c$  | Circulatory  |
| 20- 24  | 5-17 8 21 26 20, 130<br>18-44 6 16 19 40, 869<br>45-64 4 10 12 18, 886  | WIC Participants 2, 543 235  |
| 35-39 4, 520 4, 940 9, 460<br>40-44 4, 220 4, 500 8, 720<br>45-54 6, 370 6, 370 12, 740   | 65+ 8 31 34 13, 884   | Clinic Visits  |
| 55-64       4,480       4,380       8,860         65-74       4,450       3,730       8,180         75-84       3,490       2,200       5,690         85+       1,440       550       1,990 | CANCER INCIDENCE<br>  (1995)  | Environmental Contacts Env hazards 34 3 Public health nuisance 69 6                          |
| Total 54, 440 53, 930 108, 370  | Primary site Number Colon 42  | <br>  School Health  |
| Age         Femal e         Mal e         Total           0-17         13,630         14,380         28,010           18-44         20,580         22,320         42,900                    | Lung  | Vision screenings 14,662 1,353 Hearing screenings 7,193 664 Health Education                 |
| 45-64 10, 850 10, 750 21, 600<br>65+ 9, 380 6, 480 15, 860<br>Total 54, 440 53, 930 108, 370  | All others   286   Total   547  |  |
| Note: Average wage is based on place  |   | Total staff 35 3. 2  |
| of work, not place of residence.  Average wage for jobs covered   | Home Health Agencies 2 Patients 1,815 Patients per 10,000 pop 167   | Public health nurses 15 1.4 Public health aides 7 0.6 Environmental specialists              |
| by Unemployment Compensation \$24,874  Labor Force Estimates Annual Average Civilian Labor Force 61.012   | Nursing Homes 12<br>  Licensed beds 1,393<br>  Occupancy rate (percent) 90.4%                                 | <br>   |
| Civilian labor force 61,012 Number employed 59,357 Number unemployed 1,655 Unemployment rate 2.7%   | Occupancy rate (percent) 90.4% Residents on 12/31/95 1,253 Residents per 1,000 population aged 65 or older 71 | Total funding   Amount Capita  |

------ N A T A L I T Y ------| Commons | Company | Comp Teenage Births 136 35

# REPORTED CASES OF SELECTED DISEASES

| <u>Di sease</u>         | Number |
|-------------------------|--------|
| Campylobacter Enteritis | 25     |
| Gi ardi asi s           | 29     |
| Hepatitis Type A        | <5     |
| Henatitis Type B*       | 16     |
| Hepatitis NANB/C**      | 0      |
| Legi onnai re' s        | 0      |
| Lyme                    | <5     |
| Measl es                | 0      |
| Meningitis, Aseptic     | 6      |
| Meningitis, Bacterial   | <5     |
| Mumps                   | 0      |
| Pertussi s              | 0      |
| Salmonellosis           | 21     |
| Shi gel l osi s         | <5     |
| Tubercul osi s          | <5     |
|                         |        |

- Includes HBV carriers Includes HCV screens

### Sexually Transmitted Disease

| Chlamydia Trachomatis    | 34 |
|--------------------------|----|
| Genital Herpes           | 9  |
| Gonorrhea                | <5 |
| Nongonococcal Cervicitis | <5 |
| Nongonococcal Urethritis | 0  |
| Syphilis                 | <5 |

#### ----- I M M U N I Z A T I O N S -----

Children in Grades K-12 by Compliance Level

| Compl i ant       | 22, 547 |
|-------------------|---------|
| Non-compliant     | 175     |
| Percent Compliant | 99. 2   |

### 

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and post-neonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths.

| TOTAL DEATHS<br>Crude Death Rat   | t <b>e</b>                         | 957<br>883            |
|---|------------------------------------|-----------------------|
| Age 1-4 5-14 15-19 20-34 35-54 55-64 65-74 75-84 85+                        | Deaths  2 4 3 18 65 77 157 315 308 | Rate                  |
| Infant Mortality Total Infant Neonatal Post-neonatal Unknown Race of Mother | Deaths 8 4 4 .                     | <u>Rate</u><br>:<br>: |
| White<br>Black<br>Other<br>Unknown  | 8                                  |                       |
| Birth Weight<br><1,500 gm<br>1,500-2,499 gm<br>2,500+ gm<br>Unknown         | 2<br>2<br>4                        | ·<br>·<br>·           |
| Perinatal Mortality Total Perinatal Neonatal Fetal                          | Deaths 8 4 4                       | Rate<br>·<br>·        |

| Selected                | Dootha    | Rate |
|-------------------------|-----------|------|
| Underlying Cause        | Deaths    |      |
| Heart Disease (total)   | 286       | 264  |
| Coronary heart disease  | 185       | 171  |
| Cancer (total)          | 226       | 209  |
| Lung                    | <b>52</b> | 48   |
| Colorectal              | 27        | 25   |
| Female breast           | 15        | . *  |
| Cerebrovascular Disease | 70        | 65   |
| Chron Obstr Pulmonary   | 37        | 34   |
| Pneumonia & Influenza   | 33        | 30   |
| Inj uri es              | <b>52</b> | 48   |
| Motor vehicle           | 12        |      |
| Diabetes                | 36        | 33   |
| Infectious & Parasitic  | 9         |      |
| Sui ci de               | 10        |      |
|                         |           |      |

\* Rate for female breast cancer based on female population.

ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

| Al cohol       | 11 |
|----------------|----|
| Other Drugs    | 18 |
| Both Mentioned | 1  |
|                |    |

Note: These data are based on location of crash, not on residence.

----- MOTOR VEHICLE CRASHES -----

| Type of Motor       | Persons P | ersons |
|---------------------|-----------|--------|
| Vehicle Crash       | I nj ured | Killed |
| Total Crashes       | 1, 256    | 6      |
| Al cohol - Rel ated | 137       | 1      |
| With Citation:      |           |        |
| For OWI             | 81        | 0      |
| For Speedi ng       | 87        | 0      |
| Motorcyclist        | 59        | 1      |
| Bi cycl i st        | 49        | 0      |
| Pedestri an         | 27        | 0      |

## 

| DI SEASE /<br>AGE GROUP  | Number       | Per<br>1, 000<br>Pop | Average<br>Stay<br>(Days) | e<br>Average<br>Charge | Charge<br>Per<br>Capi ta | DI SEASE / AGE GROUP                                | Number     | Per<br>1, 000<br>Pop | Average<br>Stay<br>(Days) | e<br>Average<br>Charge | Charg<br>Per<br>Capi ta |
|--------------------------|--------------|----------------------|---------------------------|------------------------|--------------------------|---|------------|----------------------|---------------------------|------------------------|-------------------------|
| I nj ury-Rel ated:       | A11          |                      |                           |                        |                          | Al cohol - Rel ate                                  | d          |                      |                           |                        |                         |
| Total                    | 874          | 8. 1                 | 5.8                       | \$11, 213              | \$90                     | Total   | 365        | 3. 4                 | 4. 7                      | \$3, 364               | \$11                    |
| <18                      | 110          | 3. 9                 | 5.8                       | \$10, 565              | \$42                     | 18-44   | 231        | 5. 4                 | 3. 9                      | \$2, 838               | \$15                    |
| 18- 44                   | 206          | 4.8                  |                           | \$10, 103              | \$49                     | 45-64   | 103        | 4.8                  | 4.8                       | \$3, 65 <b>8</b>       | \$17                    |
| 45-64                    | 155          | 7. 2                 |                           | \$12, 216              | \$88                     | 10 01   | 100        | 1. 0                 | 1. 0                      | <b>40, 000</b>         | ŲI,                     |
| 65+                      | 403          | 25. 4                | 6.6                       | \$11, 571              | \$294                    | Pneumoni a and                                      | Influenza  |                      |                           |                        |                         |
| Injury: Hip I            |              | ωυ. 1                | 0. 0                      | Q11, 0 <i>7</i> 1      | <b>Ψ</b> 201             | Total   | 335        | 3. 1                 | 5. 0                      | \$6, 873               | \$21                    |
| Total                    | 133          | 1. 2                 | 6. 8                      | \$12, 138              | \$15                     | <18   | 103        | 3. 7                 | 3. 4                      | \$4, 001               | \$15                    |
| 65+                      | 128          | 8. 1                 | 6.8                       | \$12, 139              | \$98                     | 45-64   | 36         | 3. <i>7</i>          | 3. <del>4</del><br>4. 7   | \$7, 987               | \$13                    |
| Injury: Poiso            |              | 0. 1                 | 0. 0                      | ψ12, 100               | <b>930</b>               | 65+   | 169        | 10. 7                | 6.3                       | \$8, 565               | \$91                    |
| Total                    | 55 55        | 0. 5                 | 4. 6                      | \$5, 489               | \$3                      | 1 03+   | 100        | 10. 7                | 0. 5                      | <b>00, 000</b>         | <b>001</b>              |
| 18- 44                   | 24           | 0. 6                 | 4. 2                      | \$5, 307               | \$3                      | Cerebrovascul a                                     | r Digaga   |                      |                           |                        |                         |
| 10-44                    | 24           | 0. 0                 | 4. 2                      | 93, 30 <i>1</i>        | ŲŪ                       | Total   | 310        | 2. 9                 | 5. 2                      | \$8, 788               | <b>\$25</b>             |
| Psychi atri c            |              |                      |                           |                        |                          | 45-64   | 47         | 2. 3<br>2. 2         |                           | \$13, 729              | \$30                    |
| Total                    | 879          | 8. 1                 | 9. 3                      | \$6,006                | \$49                     | 45-64<br>  65+                                      | 254        | 16. 0                | 4. 9                      | \$7, 596               | \$30<br>\$122           |
| <18                      | 176          | 6.3                  | 10. 2                     | \$6, 693               | \$49<br>\$42             | 05+   | 234        | 10. 0                | 4. 9                      | 37, 390                | 3122                    |
| <18<br>18- 44            | 474          | 11.0                 | 8. 2                      |                        | \$42<br>\$57             | Chania Obatau                                       | atira Dul  |                      | ); aaaaa                  |                        |                         |
|                          |              |                      | 0. £                      | \$5, 204               |                          | Chronic Obstru                                      | CLIVE PULL | nonary i             | л sease                   | OF E40                 | 019                     |
| 45-64                    | 109          | 5.0                  | 12. 9                     | \$7, 523               | \$38                     | Total   | 231        | 2. 1                 | 4.3                       | \$5, 548               | \$12                    |
| 65+                      | 120          | 7. 6                 | 9. 2                      | \$6, 787               | \$51                     | <18   | 63         | 2. 2                 | 2.8                       | \$3, 410               | \$8                     |
| n 11 .                   | D.           |                      |                           |                        |                          | 18-44   | 30         | 0. 7                 | 2. 6                      | \$3, 250               | \$2                     |
| Coronary Heart           |              | 0 0                  | 4.0                       | 014 070                | 600                      | 45-64   | 40         | 1.9                  | 4. 7                      | \$6, 569               | \$12                    |
| Total                    | 655          | 6. 0                 | 4. 3                      | \$14,672               | \$89                     | 65+   | 98         | 6. 2                 | 5. 5                      | <b>\$7, 209</b>        | \$45                    |
| 45-64                    | 181          | 8. 4                 | 3. 7                      | \$15, 441              | \$129                    | D D 1 . 1   |            |                      |                           |                        |                         |
| 65+                      | 437          | 27. 5                | 4. 7                      | \$14, 449              | \$398                    | Drug-Related  |            |                      |                           |                        |                         |
|                          |              |                      |                           |                        |                          | Total   | 52         | 0. 5                 | 7. 5                      | \$5, 031               | \$2                     |
| Ma <u>l</u> ignant Neopl |              | ncers):              | All                       |                        |                          | 18-44   | 39         | 0. 9                 | 6. 7                      | <b>\$4, 513</b>        | \$4                     |
| Total                    | 502          | 4. 6                 | 6. 7                      | \$13, 566              | \$63                     |   |            |                      |                           |                        |                         |
| 18-44                    | 35           | 0.8                  |                           | \$12, 773              | \$10                     | Total Hospital                                      |            |                      |                           |                        |                         |
| 45-64                    | 158          | 7. 3                 |                           | \$13, 944              | \$102                    | Total   | 11, 831    | 109. 2               | 4.6                       | \$7, 125               | \$778                   |
| 65+                      | 299          | 18.8                 | 7. 1                      |                        | \$252                    | <18   | 2, 431     | 86. 8                | 3. 1                      | \$3, 430               | \$298                   |
| Neoplasms: Fe            |              |                      | tes for                   | female p               |                          | 18- 44  | 3, 384     | <b>78.</b> 9         | 3. 5                      | \$5, 149               | \$406                   |
| Total                    | 64           | 1. 2                 | 2. 2                      | \$5, 359 <sup>1</sup>  | \$6                      | 45-64   | 1, 899     | <b>88.</b> 0         | 5. 1                      | <b>\$9, 712</b>        | \$854                   |
| Neoplasms: Co            | ol o- rectal |                      |                           |                        |                          | 65+   | 4, 117     | 259. 5               | 6. 0                      | <b>\$9, 737</b>        | \$2, 527                |
| Total                    | 51           | 0. 5                 | 10. 1                     | \$15, 348              | \$7                      |   |            |                      |                           |                        |                         |
| <b>65</b> +              | 42           | 2. 6                 | 10. 3                     | \$15, 371              | \$41                     | [ P R E V E N T A                                   |            | 0 S P I              |                           |                        |                         |
| Neoplasms: Li            | ıng          |                      |                           |                        |                          | Total   | 1, 460     | 13. 5                | 4. 7                      | <b>\$6, 345</b>        | \$85                    |
| Total                    | 35           | 0.3                  | 7. 3                      | \$14, 249              | \$5                      | <b> </b> <18  | 332        | 11. 9                | 2. 9                      | \$3,605                | \$43                    |
|                          |              |                      |                           |                        |                          | 18- 44  | 181        | 4. 2                 | 3. 5                      | \$6,009                | \$25                    |
| Diabetes                 |              |                      |                           |                        |                          | 45-64   | 198        | 9. 2                 | <b>5. 0</b>               | \$7, 908               | \$73                    |
| Total                    | 121          | 1. 1                 | 4.4                       | \$6, 513               | \$7                      | 65+   | 749        | 47. 2                | 5. 6                      | \$7, 227               | \$341                   |
| <b>65</b> +              | 50           | 3. 2                 | 5.3                       | \$5, 878               | \$19                     |   |            |                      |                           | •                      |                         |
|                          |              |                      |                           | . ,                    | •                        | * Hospitalizati                                     | ons for co | ondi ti or           | ns where                  | timely a               | nd                      |
|                          |              |                      |                           |                        |                          | effective ambulatory care can reduce the likelihood |            |                      |                           |                        | ood of                  |
|                          |              |                      |                           |                        |                          | hospi tal i zati on                                 | v          |                      |                           |                        |                         |